



Liquid-O-Ring®*

YOUR SUPER CENTER FOR OVER 1,000 TOP PERFORMANCE PRODUCTS SERVING INDUSTRIES WORLDWIDE

WWW.OILCENTER.COM

920

LIQUID TOOL

Penetrating Oil

- GEAR OILS
- MOTOR OILS
- HYDRAULIC OILS
- PIPE COATINGS
- THREAD SEALANTS
- BEARING GREASES
- SPECIALTY GREASES
- THREAD COMPOUNDS
- SUCKER ROD COATINGS
- OUTSIDE PRESERVATIVES
- WIRELINE GREASE SEALS
- CLEANERS & DEGREASERS
- PIPE STORAGE COMPOUNDS
- RUST & CORROSION INHIBITORS
- THREAD LOCKING COMPOUNDS
- VALVE LUBRICANTS & SEALANTS
- TOOL JOINT & DRILL COLLAR COMPOUNDS

PRODUCT DESCRIPTION

920 LIQUID TOOL combines active solvents with highly refined oil to provide the most useful "tool" in your tool box. 920 LIQUID TOOL penetrates frozen and rusted parts, cleaning, and lubricating all metal surfaces as it "unfreezes". It removes moisture from surfaces, leaving an oily film that protects against the intrusion of further moisture, thereby preventing rust and corrosion. 920 LIQUID TOOL leaves a residual film on all parts, which increases the natural lubricity and reduces friction.

BENEFITS

- **Cleans and lubricates as it unfreezes all metal parts**
- **Protects against corrosion**
- **Easy to apply**
- **Rust-protects any metal part**
- **Most useful tool in the tool box**
- **Complies with Standard ISO 6743/8 (1987): ISO-L-REE Category**

TYPICAL OBSERVATIONS

Appearance	Liquid
Color	Amber
Density, lb/gal @ 77°F (25°C)	6.67
Specific Gravity @ 77°F (25°C)	0.80
Flash Point, ASTM D-93	105°F (40°C)
Viscosity, ASTM D-1200	
#4 Ford cup @ 77°F (25°F)	20 sec
Solubility in Water	<1
Shelf Life (unopened container)	Two years

APPLICATION

920 LIQUID TOOL may be used for industrial, shop, farm, and commercial applications. Excellent results are obtained when 920 LIQUID TOOL is applied to equipment on or near salt water. Other 920 LIQUID TOOL recommended applications include tools, guns, locks, hinges, appliances, automobiles, precision equipment, boating equipment, farm machinery, and mining equipment.



© 2020, BALMAR LLC Made in U.S.A.

WARRANTY Because the conditions of use and the supervision of application are beyond our control, we assume no liability for any product failure or other damage beyond the purchase price of the material furnished by us. No agent, representative, or employee of this Company is authorized to change this provision, which relates to all goods delivered, whether sold, delivered as samples, or otherwise. Each user should independently determine the suitability of this product based on their specific application.

Manufactured by

BALMAR LLC

616 WEST PONT DES MOUTON ROAD | LAFAYETTE, LA 70507

Sales Locations:

LAFAYETTE, LA | HOUSTON, TX | LONGVIEW, TX | MIDLAND, TX | OKLAHOMA CITY, OK

*Registered trade name of Oil Center Research, Inc. 10/25/16

The product information and specifications listed in this publication are constantly being updated to keep up with government regulations and technology changes. Please visit our web site, www.oilcenter.com, or contact your Account Representative for the most current information relating to this product.